



The world is our home.

Save our resources.


The Jcoplastic products are 100% recyclable



waste management

JCO

JCOPLASTIC SpA
Industria Contenitori Plastici

special uses	containers				2 wheeled bins					4 wheeled bins						<p>for further details about products please visit our website</p> <p>www.jcoplastic.com</p> 				
	domestic collection and street furniture <small>(according to DIN 30713 standard)</small>				municipal solid waste collection and municipal selective waste collection <small>(according to UNI EN 840 UNI 10571 and DIN 30740 standard)</small>					municipal solid waste collection and municipal selective waste collection <small>(according to UNI EN 840 UNI 10571 and DIN 30740 standard)</small>										
from 300 to 600	10	25	40	50	80	120	140	240	360	660	770	1000	1000 reinforced	1100 flat lid	1100 round lid	1700	2000	2400 symmetric model	2400 asymmetric model	<p>CE CE PRINTING and indication of sound power level according to 2000/14/EC directive on 80L, 120L, 140L, 240L, 360L, 660L, 770L, 1000L, 1100L flat lid and round lid</p> <p>2 PEHD The Jcoplastic products are injection moulded in high density polyethylene (HDPE) therefore they are 100% recyclable</p> <p>UN The products 240L, 360L, 660L, 770L, 1000L, 1100L are ONU ADR certified for the transport of clinical waste. The box 600L FOR SPECIAL USES IS ADR ONU certified for the transport of expired batteries</p> <p>LGSA The Jcoplastic products from 80L to 1700L are certified GS/LGA (certificate of the product and the safety at work according to EN 840 standard)</p>
																				generic stickers (one colour to four-colour print)
																				progressive serial number printing
																				embossing, hot foil stamping, silk screen printing
																				In Mould Labelling
																				personalized labels (barcodes, serial numbers..)
																				chip allocation
																				standard colours (special colours available on request)
																				bag-holding lid
																				wheels options (Ø 200 mm standard)
																				lid with rubber round aperture Ø 90 mm for can waste collection
																				lid with rubber round aperture Ø 160 mm for glass/plastics waste collection
																				lid with rubber round aperture Ø 200 mm for glass/plastics waste collection
																				lid with rubber round aperture Ø 280 mm for glass/plastics waste collection
																				lid with rectangular aperture and rubber protection (150x250 or 260x215)
																				aperture for paper collection
																				specific insert for expired medicines collection
																				specific insert for expired batteries collection
																				lid within lid insert
																				micro-perforations allowing air to circulate for organic fraction
																				grill fitted in the base of the container for organic fraction
																				lock with triangular key
																				SUDHAUS gravity lock or with triangular key
																				JCO gravity lock
																				directional lock
																				halved lid (2 pieces)
																				foot pedal for lid opening
																				dampened closing lid
																				central brake
																				additional handles
																				stationary model (with feet)
																				Tow-hook
																				male lifting device DIN+ EN 840 (other lifting systems available on request)
																				Comb lifting device EN 840 C (DIN)
																				Comb lifting device EN 840 A (AFNOR)
																				Bologna lifting device/DIN fitted on Bologna lifting device
																				male lifting device fitted on box device EN12574
																				Diamond lifting device

Personalization on request

● applicable ● applicability to be verified with the sales department

 nb: the accessories and the personalizations of the above synoptic table are only a part of the optionals that can be required. Please contact our sales department export@jcoplastic.com for optionals that are not stated above.

Jcoplastic reserves the right to alter the data of the described models due to technical or commercial modifications and improvements at any time without giving notice.

• 4 wheeled bins · municipal solid and municipal selective waste collection • 4 wheeled bins · muni

660

770

1000

standard models



reinforced

selective collection



other applications and options




foot pedal for lid opening



tow hook



back hinge and handle



front side of a reinforced body



foot pedal provided with shock-absorber



empty by upturning using forks



foot pedal provided with shock-absorber



drain plug



AFNOR comb (A-EN840)



AFNOR bar

municipal solid and municipal selective waste collection

1100



flat lid



round lid



standard models

• 4 wheeled bins · municipal solid a

1700



halved lid (2 pieces)



selective collection



detail of a foot pedal rod



child safety device



central brake



child safety device

other applications and options



single lid application



stationary model with feet



lifting equipments: Bologna, DIN on Bologna device, male on box device, Diamond

1700

2000

2400



symmetric lid

asymmetric lid

standard models



selective collection



reinforced bottom
available also for 1700



foot pedal



lid handle



lid shock absorber



stationary
feet support



symmetric lid opening



asymmetric lid opening



runners ends



chip allocation

other applications and options

2000

2400

waste collection • 2 wheeled bins • municipal solid and municipal selective waste collection • waste

80

120

140

240

360

standard models



selective collection



other applications and options



foot pedal for lid opening



wheel $\varnothing 200$



nose wheel $\varnothing 300$



handling support



handling handles



waste separation and recycling unit equipped with Safetyplast railings



bag-holding lid

• special uses •
from 300 to 600



furniture • containers • domestic collection and street furniture • containers

50

40

25

10



standard model

expired batteries
collection model



moulded in
polypropylene
(PP)



square base



rectangular base

standard colours
personalizations on request

reflective	generic stickers	In Mould Labelling	embossing	hot foil stamping	serial number personalized labels	chip allocation
green	blue	light grey	dark grey	brown	yellow	white
nose wheel ø300	wheel ø125	wheel ø160	wheel for special loadings	"no marking" wheel	wheel equipped with central brake by foot pedal	wheel equipped with directional lock
noise reduction application	noise reduction application	25 L lid closing to prevent any tampering	lid within lid	lid for generic collection	1700 L front lid hinges	lid hinge
JCO lock with triangular key	JCO lock with triangular key	SUDHAUS gravity lock	central gravity lock	side gravity lock	two snaps lock	gravity closing system with levers
male lifting device DIN-EN	Bologna lifting device	male lifting device fitted on Bologna device	male lifting device fitted on Box device	comb lifting device	additional side handle	additional back handle



JCOPLASTIC SpA
Industria Contenitori Plastici

Jcoplastic SpA

Registered office

piazza della Repubblica, 30 • 20121 Milano - Italy

Head office and factory

viale Spagna - Zona Industriale


84091 Battipaglia (SA) - Italy

tel +39 0828 392111 • fax +39 0828 392164

mail@jcoplastic.com • www.jcoplastic.com

An industrial group rooted in the global market

Directly, through its controlled companies or through associated industrial and commercial companies, besides numerous partnerships in United Kingdom, France, United Arab Emirates, North Africa, North and South America, Australia, Jcoplastic boasts a background of international experiences that is at customers' service.



Jcoplastic's group controlled companies

Italy

Tecno Plastica Lucana SpA

Zona Industriale Isca Pantanelle

85050 Sant'Angelo Le Fratte (PZ)

tel +39 0975 386424 • fax +39 0975 386425

Simpotec srl

via Filigalardi - Zona Industriale

84091 Battipaglia (SA)

tel +39 0828 304041 • fax +39 0828 616540

info@simpotec.it • www.simpotec.it

SafetyPlast srl

viale Spagna - Zona Industriale

84091 Battipaglia (SA)

tel +39 0828 392111 • fax +39 0828 392164

info@safetyplast.eu • www.safetyplast.it

Other countries

Jcoplastic Iberica 2000 S.L.U.

Carretera Castellon km 207,8

50740 Fuentes de Ebro - Zaragoza - Spain

tel +34 976 169035 • fax +34 976 160640

ventas@jcoplastic.es

Europlast GmbH

Schmelz 83

9772 Dellach im Drautal - Kärnten - Austria

Tel +43 4714 8228 • Fax +43 4714 822820

verkauf@europlast.at • www.europlast.at

Europlast Romania srl

Calea Clujului nr 144-148

Oradea - Bihor - Romania

tel +40 359 410104 • fax +40 359 410104

office@europlast.com.ro • www.europlast.com.ro

Ico Plastic Hellas ltd

Provincial Road Yannitsa - Axos

58100 Yannitsa - Greece

tel +30 2 3820 29269 • fax +30 2 3820 29269

icoplastik@otenet.gr

Ico Plastik Turke ltd

18, Ada 3 Nolu Parsel

54300 Hendek - Sakarya - Turkey

tel +90 264 654 5033 • fax +90 264 654 5790

icoplastik@icoplastik.com.tr

www.jcoplastic.com

• Experience and continuity

Jcoplastic has been in the industrial planning and production field of plastic containers for over 40 years and today it holds a consolidated leading position. An industrial group firmly rooted in the global market with a solid know-how in competitiveness, technology, innovation and quality standards able to assure personalisation of its products and solutions that satisfy all customers' requirements.

• Flexibility and adaptability

Jcoplastic is the perfect partner for public bodies and companies working in the waste management field since it is able to provide the most suitable solutions to specific problems related to municipal solid waste collection and municipal selective waste collection.

• Technology

All Jcoplastic products are injection moulded in high density polyethylene (HDPE), with characteristics that make them particularly resistant to U.V., infrared rays, acids and alkalis, aging, high and low temperatures.

• Environmental sustainability

The employment of eco-friendly technologies such as the energy self-production from renewable energy sources and the strategic attention to energy-saving along with the capability to assure that its products are totally recyclable allowed Jcoplastic to obtain UNI EN ISO 9001 and 14001 certificates as well as GS Quality marks, in conformity with international standard of hygiene, safety and high performance of its products.



• Innovation and growth

Jcoplastic has an *Information Technology* division supporting the mechanization of its activities and of the services offered to customers, which deals with the development of traceability and georeferencing systems.



Jcoplastic SpA factory in Battipaglia (SA)

retailer_agent